

Danby


Waterbody + Tributary 100ft Buffer

55 acres
(Base Land Cover Shown)




High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)




Supplemental Land Cover


Impervious Surfaces (0.66 acres - 1.2 % of total) (Bottom-Up**)




Agriculture (6.46 acres - 11.8 % of total)



Wetlands (23.66 acres - 43 % of total)




Tree Canopy (23.16 acres - 42.1 % of total)



Danby


Waterbody 250ft Buffer

54 acres
(Base Land Cover Shown)




High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)




Supplemental Land Cover


Impervious Surfaces (0.51 acres - 0.9 % of total) (Bottom-Up**)




Agriculture (4.62 acres - 8.6 % of total)



Wetlands (36.25 acres - 67.1 % of total)



Tree Canopy (24.71 acres - 45.8 % of total)




*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.

**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.

See UVM SAL High-Resolution Land Cover 2025 Report for more detail.

Danby


Tributary 100ft Buffer
34 acres
(Base Land Cover Shown)



External Data Sources: UWM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LIDAR, National Hydrography Dataset


High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)




Supplemental Land Cover


Impervious Surfaces (0.65 acres - 1.9 % of total) (Bottom-Up**)




Agriculture (5.55 acres - 16.3 % of total)



Wetlands (7.56 acres - 22.2 % of total)



Tree Canopy (16.93 acres - 49.8 % of total)



*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.

**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.
See UWM SAL High-Resolution Land Cover 2025 Report for more detail.

Danby

Waterbody 100ft Buffer

22 acres

(Base Land Cover Shown)


43°22'

0 0.2 Miles

External Data Sources: UWM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LIDAR, National Hydrography Dataset


High-Resolution Land Cover Summary

Base Land Cover (Top-Down*)




Supplemental Land Cover


Impervious Surfaces (0.02 acres - 0.1 % of total) (Bottom-Up**)




Agriculture (0.91 acres - 4.2 % of total)



Wetlands (17.17 acres - 78 % of total)




Tree Canopy (6.23 acres - 28.3 % of total)





*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.

**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/obscured by other features.

See UWM SAL High-Resolution Land Cover 2015 Report for more detail.



High-Resolution Land Cover Summary



External Data Sources: UWM SAL High-Resolution (0.5m) Land Cover Dataset, VCGI Vermont State LIDAR, National Hydrography Dataset

*Top-Down: A traditional land cover mapping approach - land cover is mapped as the uppermost land cover class.
**Bottom-Up: A new land cover mapping approach - land cover is mapped as the lowermost land cover class. This approach results in improved mapping of features overlapped/observed by other features.
See UWM SAL High-Resolution Land Cover 2015 Report for more detail.